

MARIS 8112

Firefighting glove combining DuPont™ Nomex® materials, aramid knit and FR membrane Porelle®. Our patented HiPro® technology protects the entire back of the hand against strike and guarantees unique protection against radiant heat.



MARIS **EVO**



MARIS **FLEXI**



MARIS **SHORT**



MARIS **EASY BEIGE**



MARIS **LONG RED**

MARIS FLEXI	8112-01	■ Color: Navy Blue
MARIS FLEXI Beige	8112-11	■ Color: Beige
MARIS FLEXI Red	8112-21	■ Color: Red
MARIS EVO	8112-02	■ Color: Navy Blue
MARIS EVO Beige	8112-12	■ Color: Beige
MARIS EVO Red	8112-22	■ Color: Red
MARIS EASY	8112-03	■ Color: Navy Blue
MARIS EASY Beige	8112-13	■ Color: Beige
MARIS EASY Red	8112-23	■ Color: Red
MARIS LONG	8112-04	■ Color: Navy Blue
MARIS LONG Beige	8112-14	■ Color: Beige
MARIS LONG Red	8112-24	■ Color: Red
MARIS SHORT	8112-05	■ Color: Navy Blue
MARIS SHORT Beige	8112-15	■ Color: Beige
MARIS SHORT Red	8112-25	■ Color: Red

PRODUCT DESCRIPTION

CUFFS:

- **Flexi** – Cuff made of flame retardant fabrics with stable internal elastic.
- **Evo** – Nomex cuff with flexible barrier made of non-flammable fabrics.
- **Easy** – Cuff made of nomex fabric.
- **Long** – Extended cuff made of nomex fabric and drawstring waistband with velcro closure.

UPPER MATERIAL:

- **Back:** DuPont™ Nomex® Fabric with hydrophobic and oleophobic treatment, in exposed areas reinforced with ceramic coating.
- **Palm:** Meta-aramid/Para-aramid knit with silicone coating.

INTERMEDIATE LAYER:

- **Insulation Layer** – recycled aramid non-woven fabric.
- **HiPro®: Hidden Protection** – special construction of inner layers made of Poron® XRD™ material.
- **Membrane** – FR Porelle® membrane.

LINING:

- Aramid lining.

MARIS 8112

STANDARDS:

- EN 659:2003+A1:2008




OTHER INFORMATION:

- Anatomical cut glove.
- Reflective elements, high-visibility Nomex®.
- Carabiner for hanging the gloves to the garment.
- Results to EN 659:2003+A1:2008
- Available in Navy Blue, Beige and Red colour.

Measurement type	Before washing
Abrasion resistance	4
Blade cut resistance (palm part)	5
Tear resistance	4
Puncture resistance	3
Burning behaviour	4
Convection heat resistance	4
Radiant heat resistance	3
Contact heat resistance	2
Dexterity	5

TABLE OF SIZES:

 (cm)	15,2-16,5	16,5-19	19-21,6	21,6-24,2	24,2-26,7	26,7-29,2	29,2-30,4	30,4-32,9
sizes	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (2XL)	12 (3XL)	13 (4XL)

CARE & MAINTENANCE

Choose a more ecological short washing program at 40 °C. Wash at a maximum temperature of 60 °C if you need to disinfect the gloves or they are extremely dirty.



PROCEDURE:

- Remove coarse dirt after each use.
- Before washing, fasten the Velcro fasteners and remove the snaps.
- Use a liquid detergent. Wash on a short programme.

TO MAKE THE GLOVE FIT BETTER:

- Shape the glove several times after washing and during drying.
- Do not dry in direct sunlight or heat sources, do not use a tumble dryer.
- Store the gloves in a dry environment.

WE RECOMMEND USING:

Holík Washing Gel

The washing gel is natural based for leather and textile gloves with high washing efficiency. It reduces bacteria, does not pollute the environment and is fully biodegradable (Eco-Friendly).



Impregnation spray Holík

A highly effective impregnating spray for leather and textiles that protects against moisture, water, oil and dirt while maintaining the breathability of the material. Apply the impregnation in a thin layer on dry product and allow to dry for at least 12 hours.

For more about washing and maintenance, visit:

www.holik-international.com > Technologies > Care&Maintenance



Co-funded by
the European Union

Holík International, s.r.o.

Za Dvorem 612, Štípa, 763 14 Zlín

Tel.: +420 577 125 500

E-mail: info@holik-international.cz

Instagram: [/holik_international](https://www.instagram.com/holik_international)

Facebook: [/holikinternational](https://www.facebook.com/holikinternational)

Web: www.holik-international.cz

Holík GmbH

Von-der-Goltz Strasse 24
DE-42329 Wuppertal, DE

Tel.: +49 (0) 202 786 6278

Mob.: +49 160 686 3226

Mob.: +49 170 788 8432

E-mail: mail@holik-gmbh.de

Web: www.holik-gmbh.de

Holík America, LLC

532 N Regional Rd, Ste A
Greensboro, NC 27409, USA

Cell: +1 631-636-9212

Office: +1 336-907-8001

E-mail: kolar@holik-international.com

Web: www.holik-america.com

