

# ZLIN PTFE

Zlin firefighting boots with PTFE membrane and EXPLORER sole, ankle protector and anti-cut protection.



## Zlin PTFE 7120

Black

### UPPER:

- Cowhide leather with hydrophobic treatment.
- Ankle protection.
- TPU toe cap protection.
- Composite toe cap.
- Heel rubber protection.
- Anatomic upholstered collar.
- Comfortable inner upholstery of breathable material.
- Flexible segmentation in the heel area.
- Padded tongue.
- Reflective elements.
- Combined shoe fastening - side zip-front lacing.
- Chain saw cut protection (class 2).

### SOLE:

- EXPLORER rubber sole.
- Self-cleaning design.
- Zones with special profiles.
- Antistatic, non-slip, resistant to oils, acids and fuel.
- Heat resistance 250°C.
- Shock absorber.

### ANTIPERFORATION INNER SOLE:

- Kevlar plate.

### REMOVABLE INNER SOLE:


- Anatomical, anti-static.

### LINING:

- 4-layer with PTFE membrane.



# ZLIN PTFE

 (mm)	230	240	250	255	260	270	280	285	290	295	300	310	320	325
<b>EU</b>	37	38	39	40	41	42	43	44	45	46	47	48	49	50
<b>UK</b>	4	5	6	6,5	7	8	9	9,5	10	11	12	13	14	14,5

## OTHER INFORMATIONS:

We have the models in stock as standard.

## CARE AND STORAGE

Remove rough dirt by a suitable brush, wet cloth or eventually with a sponge and let them dry. It is also possible to use a spray designed for treating membrane footwear made of smooth leather.

Store the clean and treated boots in the dry ventilated environment.

## STANDARDS:

The footwear is tested according to EN 15090:2012.

EN 15090:2012    EN ISO 17249:2013



## F2A HI-3 SRC P T A AN CI

HI-3	Insulation against heat
SRC	Shear resistance
P	Resistance to puncture
T	Impact resistance
A	Antistatic footwear
AN	Ankle protection
CI	Insulation against cold

You can find more information about the products on our website.

DuPont™, Kevlar®, Nomex® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

