

KASHI FR

Technical protective gloves against mechanical and thermal risks. This model has added protection on the back of the user's hand, thanks to the placement of a protective lining in this area. The gloves are hydrophobic, oleophobic, and the user's comfort is ensured by a sophisticated anatomical cut with overstretched seams on the fingertips.



Kashi FR 8275-01

Kashi FR 8275-01

Yellow

UPPER MATERIAL:

- Back: Elastic textile with reduced flammability with hydrophobic and oleophobic treatment.
- Palm and interstitial: Elastic Para-aramid/Polyamide knit with silicone coating.

REINFORCEMENT:

- Protection of the knuckles on the back of the hand against abrasion and impact – Kevlar®/Polyamide with FR coating backed with foam.
- The reinforcement between the thumb and index finger made of Kevlar® fabric with FR coating overlaps the side seams, thanks to the high resistance to abrasion increases the durability of the glove.

CUT RESISTANT INTERMEDIATE LAYER:

- Palm: 100% aramid non-woven fabric.

LINING:


- Palm and back: Podšívka z úpletu Para-aramid / Polyester / fiberglass knit lining – high cut resistance.
- Cuff: Non-flammable inner FR knitted material preventing the penetration of dirt into the glove.

CUFF:

- Evo – Elastic cuff finished with a rubber band against dirt.



KASHI FR

 (cm)	15,4-16,7	16,7-19,2	19,2-21,7	21,7-24,2	24,2-26,7	26,7-29,2	29,2-31,7
size	6 (XS)	7 (S)	8 (M)	9 (L)	10 (XL)	11 (XXL)	12 (3XL)

OTHER INFORMATIONS:

Anatomic cut.
 All-over non-flammable glove.
 Highly hydrophobic and oleophobic.
 High resistance to mechanical risks in the palm and on the back.
 Above average mechanical resistance in the interfingers.
 Breathability, sensitivity and flexibility.
 Excellent grip and sensitivity thanks to the special design of the extended fingertips.
 High-vis, reflective element on the back of the glove.
 Comfortable - flexible - anatomically shaped cut including the thumb.
 The wrist part is tightened with an elastic band.
 Non-flammable loop on the cuff for easier putting on the glove and for hanging on a carabiner.
 The gloves can be washed at 60 °C.

CARE AND STORAGE:

Remove excess dirt after every use.
 Before washing remove the carabiners. Use liquid detergent.
 Wash gloves at the short program.
 To make the glove fit better: After washing and during drying shape the glove several times. Do not dry in direct sunlight, or on heat sources, do not use the dryer.
 Store the gloves in dry conditions.

60°C



STANDARD:

EN 388:2016+A1:2018

EN 388:2016



EN 407:2020

EN 407:2020



EN ISO 21420:2021

Tested:

Hydrophobicity – EN ISO 4920, ISO 5 (highest)

Back cut– EN 388, 6.2; value level 3

You can find more information about the products on our website.

DuPont™, Kevlar®, Nomex® are trademarks or registered trademarks of E.I. du Pont de Nemours and Company.

